

# ALI-FABS

*by Guttercrest*

## SAFETY DATA SHEETS



## SEALANTS & TOUCH UP PAINT

+44 (0)1691 663322

[www.ali-fabs.co.uk](http://www.ali-fabs.co.uk)

[info@ali-fabs.co.uk](mailto:info@ali-fabs.co.uk)



## SAFETY DATA SHEET ARBOSIL 1090

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name ARBOSIL 1090

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Neutral cure building sealant.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Adshead Ratcliffe & Co. Ltd.  
Derby Road, Belper  
Derbyshire.  
DE56 1WJ  
Tel. (+44) 01773 826661  
Fax. (+44) 01773 821215  
sds@arbo.co.uk

#### 1.4. Emergency telephone number

(+44) 01773 826661 (office hours only)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Not classified.

Human health

Not considered as a health hazard under current legislation.

Environment

The product is not expected to be hazardous to the environment.

#### 2.2. Label elements

Risk Phrases

NC

Not classified.

Safety Phrases

P13

Safety data sheet available for professional user on request.

#### 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

BIS-(N-METHYLBENZAMIDO)-METHYLETHOXYSILANE	1 - 5%
CAS-No.: 16230-35-6	EC No.: 240-354-5
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	Classification (67/548/EEC) Xi;R36/37/38.

# ARBOSIL 1090

TITANIUMACETYLACETATE		1 - 5%
CAS-No.: 83877-91-2	EC No.: 281-161-6	
Classification (EC 1272/2008) Flam. Liq. 3 - H226	Classification (67/548/EEC) R10.	
DIOCTYL TIN DILAUATE		< 1%
CAS-No.: 3648-18-8	EC No.: 222-883-3	
Classification (EC 1272/2008) Repr. 2 - H361d STOT RE 1 - H372 Aquatic Chronic 4 - H413	Classification (67/548/EEC) T;R48/25. Repr. Cat. 3;R63. R53.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## Composition Comments

Polydimethylsiloxane with fillers, auxiliaries. benzamidosilane crosslinking agent.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### Inhalation

If inhalation causes adverse effects, remove to fresh air.

#### Ingestion

Immediately rinse mouth and drink plenty of water (200-300 ml). Give milk instead of water if readily available. Get medical attention if any discomfort continues.

#### Skin contact

Wipe off excess material with cloth or paper. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

#### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation.

No specific symptoms noted.

#### Ingestion

May cause discomfort if swallowed.

#### Skin contact

No specific symptoms noted.

#### Eye contact

May cause temporary eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

#### Unsuitable extinguishing media

None known.

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

# ARBOSIL 1090

## Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

## Specific hazards

In case of fire, toxic gases may be formed.

### 5.3. Advice for firefighters

#### Special Fire Fighting Procedures

Avoid breathing fire vapours. Keep up-wind to avoid fumes.

Protective equipment for fire-fighters

Wear self contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Follow precautions for safe handling described in this safety data sheet.

### 6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Shovel into dry containers. Cover and move the containers. Flush the area with water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

For personal protection, see section 8. See section 11 for additional information on health hazards. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Observe good chemical hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage Class

Unspecified storage.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage Description

Gunnable sealant.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
DIOCTYL TIN DILAURATE	WEL		0.1 mg/m <sup>3</sup>		0.2 mg/m <sup>3</sup>	as Sn

WEL = Workplace Exposure Limit.

Ingredient Comments

No DNEL or PNEC values available.

### 8.2. Exposure controls

Protective equipment



Engineering measures

No particular ventilation requirements.

Respiratory equipment

Not normally required.

Hand protection

Use suitable protective gloves if risk of skin contact.

# ARBOSIL 1090

Eye protection

Not generally required.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Uncured -paste. Cured - rubber.
Colour	Misc. colours.
Odour	Slight odour.
Solubility	Insoluble in water
Initial boiling point and boiling range	Not applicable.
Relative density	1.18 - 1.195 @ 20°C
Vapour density (air=1)	Not applicable.
Vapour pressure	Not applicable.
Evaporation rate	Not applicable.
pH-Value, Conc. Solution	Not applicable.
Viscosity	5, 000 - 7, 000 Ps @ 20°C
Solubility Value (G/100G H <sub>2</sub> O@20°C)	Not applicable.
Odour Threshold, Lower	Not applicable.
Odour Threshold, Upper	Not applicable.
Flash point	Not applicable.
Auto Ignition Temperature (°C)	450 (as paste)
Flammability Limit - Lower(%)	Not applicable.
Flammability Limit - Upper(%)	Not applicable.
Partition Coefficient (N-Octanol/Water)	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

### 9.2. Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No specific reactivity hazards associated with this product.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions

Not applicable.

Hazardous Polymerisation

Will not polymerise.

### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

### 10.6. Hazardous decomposition products

None under normal conditions. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Toxic Dose 1 - LD 50

Not determined

# ARBOSIL 1090

Toxic Dose 2 - LD 50                      Not determined  
Toxic Conc. - LC 50                      Not determined

## Toxicological information

The product has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly.

### Acute toxicity:

Based on available data the classification criteria are not met.

### Skin Corrosion/Irritation:

Based on available data the classification criteria are not met.

### Serious eye damage/irritation:

Based on available data the classification criteria are not met.

### Respiratory or skin sensitisation:

Based on available data the classification criteria are not met.

### Germ cell mutagenicity:

Does not contain any substances known to be mutagenic.

### Carcinogenicity:

Does not contain any substances known to be carcinogenic.

### Reproductive Toxicity:

Based on available data the classification criteria are not met.

#### Inhalation

No specific health warnings noted.

#### Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

#### Skin contact

Skin irritation is not anticipated when used normally.

#### Eye contact

May cause temporary eye irritation. Will not injure eye tissue.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Not regarded as dangerous for the environment. The product has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/ EC and classified for ecotoxicological hazards accordingly.

#### **12.1. Toxicity**

LC 50, 96 Hrs, Fish mg/l                      Not determined  
EC 50, 48 Hrs, Daphnia, mg/l                      Not determined  
IC 50, 72 Hrs, Algae, mg/l                      Not determined

#### **12.2. Persistence and degradability**

##### Degradability

Silicone content: biologically not degradable.

#### **12.3. Bioaccumulative potential**

##### Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient                      Not applicable.

#### **12.4. Mobility in soil**

##### Mobility:

The product is insoluble in water.

**12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

**12.6. Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

**13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

Waste Class

Recommended EWC Code 08 04 10

**SECTION 14: TRANSPORT INFORMATION**

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**14.1. UN number**

No information required.

**14.2. UN proper shipping name**

No information required.

**14.3. Transport hazard class(es)**

No information required.

**14.4. Packing group**

No information required.

**14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant

No.

**14.6. Special precautions for user**

No information required.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

No information required.

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations.

Statutory Instruments

Control of Substances Hazardous to Health.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) 1907/2006 REACH. Regulation (EC) 1272/2008 CLP.

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION**

Revision Comments

General review New format as required by REACH Annex II

## ARBOSIL 1090

Revision Date	14/11/12
Supersedes date	26/10/05
SDS No.	10165
Risk Phrases In Full	
R10	Flammable.
R36/37/38	Irritating to eyes, respiratory system and skin.
R53	May cause long-term adverse effects in the aquatic environment.
NC	Not classified.
R63	Possible risk of harm to the unborn child.
R48/25	Toxic: danger of serious damage to health by prolonged exposure if swallowed.
Hazard Statements In Full	
H372	Causes damage to organs <<Organs>> through prolonged or repeated exposure.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H226	Flammable liquid and vapour.
H413	May cause long lasting harmful effects to aquatic life.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in a process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.





## SAFETY DATA SHEET ARBOSEAL TAPE

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name ARBOSEAL TAPE  
Synonyms, Trade Names Arboseal GZ., 03-SV., Butyl 88. , Glazing tape., Lap tape.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Compression joints in cladding and roofing. Lap joints in guttering. Glazing applications.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Adshead Ratcliffe & Co. Ltd.  
Derby Road, Belper  
Derbyshire.  
DE56 1WJ  
Tel. (+44) 01773 826661  
Fax. (+44) 01773 821215  
sds@arbo.co.uk

#### 1.4. Emergency telephone number

(+44) 01773 826661 (office hours only)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Not classified.  
Human health  
Not considered as a health hazard under current legislation.  
Environment  
Not regarded as an environmental hazard under current legislation.

#### 2.2. Label elements

#### 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Composition Comments  
Butyl rubber, polyisobutene / polyisobutylene blends, with fillers, auxiliaries.

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General information  
In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.  
Inhalation  
Unlikely route of exposure.  
Ingestion  
Unlikely, but should this occur seek medical advice.  
Skin contact  
Wipe off excess material with cloth or paper. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.  
Eye contact  
Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

# ARBOSEAL TAPE

Inhalation.

No specific symptoms noted.

Ingestion

May cause discomfort if swallowed.

Skin contact

No specific symptoms noted.

Eye contact

May cause temporary eye irritation.

## **4.3. Indication of any immediate medical attention and special treatment needed**

Treat Symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

None known.

### **5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

In case of fire, toxic gases may be formed.

### **5.3. Advice for firefighters**

Special Fire Fighting Procedures

Avoid breathing fire vapours. Keep up-wind to avoid fumes.

Protective equipment for fire-fighters

Wear self contained breathing apparatus.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear appropriate protective clothing. Follow precautions for safe handling described in this safety data sheet.

### **6.2. Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

### **6.3. Methods and material for containment and cleaning up**

Non-hazardous substance. Transfer to a container for disposal.

### **6.4. Reference to other sections**

For personal protection, see section 8. See section 11 for additional information on health hazards. For waste disposal, see section 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Observe good chemical hygiene practices.

### **7.2. Conditions for safe storage, including any incompatibilities**

Store in closed containers in a cool, dry place.

Storage Class

Unspecified storage.

### **7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1. Control parameters**

# ARBOSEAL TAPE

## Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

## Skin contact

Prolonged contact may cause dryness of the skin.

## Eye contact

No specific health warnings noted.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Not regarded as dangerous for the environment.

### **12.1. Toxicity**

LC 50, 96 Hrs, Fish mg/l                      Not determined

EC 50, 48 Hrs, Daphnia, mg/l                Not determined

IC 50, 72 Hrs, Algae, mg/l                    Not determined

### **12.2. Persistence and degradability**

#### Degradability

There are no data on the degradability of this product.

### **12.3. Bioaccumulative potential**

#### Bioaccumulative potential

No data available on bioaccumulation.

### **12.4. Mobility in soil**

#### Mobility:

The product is insoluble in water.

### **12.5. Results of PBT and vPvB assessment**

### **12.6. Other adverse effects**

## SECTION 13: DISPOSAL CONSIDERATIONS

### General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

#### Waste Class

Recommended EWC Code 08 04 10

## SECTION 14: TRANSPORT INFORMATION

### General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### **14.1. UN number**

### **14.2. UN proper shipping name**

### **14.3. Transport hazard class(es)**

### **14.4. Packing group**

### **14.5. Environmental hazards**

### **14.6. Special precautions for user**

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

# ARBOSEAL TAPE

## 8.2. Exposure controls

Protective equipment



Engineering measures

No particular ventilation requirements.

Respiratory equipment

Not normally required.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Eye protection

Not generally required.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Round and flat section tacky tape.
Colour	Black. White. Teak.
Odour	Odourless.
Solubility	Insoluble in water
Relative density	1.22 - 1.60 @ 20°C

### 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No specific reactivity hazards associated with this product.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions

Not applicable.

Hazardous Polymerisation

Will not polymerise.

### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

### 10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

### 10.6. Hazardous decomposition products

None under normal conditions. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Toxic Dose 1 - LD 50	Not determined
Toxic Dose 2 - LD 50	Not determined
Toxic Conc. - LC 50	Not determined

Inhalation

No specific health warnings noted.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations.

Statutory Instruments

Control of Substances Hazardous to Health.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) 1907/2006 REACH. Regulation (EC) 1272/2008 CLP.

**15.2. Chemical Safety Assessment**

**SECTION 16: OTHER INFORMATION**

General information

This document is outside the scope of Article 31 of REACH and is therefore not compiled in accordance with Annex II.

Revision Comments

General review

Revision Date 21/11/12

Supersedes date 14/11/05

SDS No. 10270

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in a process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier** For professional use only
- **Trade name:** QAD Enamel Colours
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Surface Coating
- **Application of the substance / the mixture** Surface Coating
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
HMG PAINTS LIMITED  
RIVERSIDE WORKS, COLLYHURST ROAD,  
MANCHESTER. M40 7RU  
UNITED KINGDOM  
TEL: +44 (0)161 205 7631  
EMAIL: sales@hmgpaint.com
- **Further information obtainable from:** sales@hmgpaint.com
- **1.4 Emergency telephone number:** +44 (0)161 205 7631 (Business hours)

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 3 H226 Flammable liquid and vapour.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H335 May cause respiratory irritation.  
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Xylene (mix)
- **Hazard statements**  
H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

**Trade name: QAD Enamel Colours**

(Contd. of page 1)

- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Contains 2-butanone oxime, methyl methacrylate. May produce an allergic reaction.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 1330-20-7 EINECS: 215-535-7	Xylene (mix) Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	25-50%
CAS: 90989-38-1 EINECS: 292-694-9	Xylene (mixed isomers) Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	10-25%
CAS: 108-65-6 EINECS: 203-603-9	2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226	2.5-10%
CAS: 100-41-4 EINECS: 202-849-4	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332	2.5-10%
CAS: 100-42-5 EINECS: 202-851-5	styrene monomer Flam. Liq. 3, H226; Repr. 2, H361d; STOT RE 1, H372; Asp. Tox. 1, H304; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412	≤ 2.5%
CAS: 108-88-3 EINECS: 203-625-9	Toluene Flam. Liq. 2, H225; Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336; Aquatic Chronic 3, H412	≤ 2.5%
CAS: 96-29-7 EINECS: 202-496-6	2-butanone oxime Carc. 2, H351; Eye Dam. 1, H318; Acute Tox. 4, H312; Skin Sens. 1, H317	≤ 2.5%
CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≤ 2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **After inhalation:**

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

**Trade name: QAD Enamel Colours**

(Contd. of page 2)

- **After skin contact:**  
*Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.*
- **After eye contact:**  
*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*
- **After swallowing:**  
*Do not induce vomiting; call for medical help immediately and show safety datasheet or label.*
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *Treat symptomatically.*

### **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
*CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **For safety reasons unsuitable extinguishing agents:** *Water with full jet*
- **5.2 Special hazards arising from the substance or mixture** *No further relevant information available.*
- **5.3 Advice for firefighters**
- **Protective equipment:** *Put on breathing apparatus*

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
*Wear protective equipment. Keep unprotected persons away.*
- **6.2 Environmental precautions:**  
*Prevent seepage into sewage system, workpits and cellars.  
Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.*
- **6.4 Reference to other sections**  
*See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.*

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
*Keep receptacles tightly sealed.*
- **Information about fire - and explosion protection:**  
*Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
*Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risk of fires, all contaminated materials should be [stored in purpose-built containers or in metal containers with tight-fitting self-closing lids.] or [laid out flat in a single layer to dry] or [placed in a metal container soaked with water] or [washed out well with warm soapy water before disposal.] Contaminated materials should be removed from the workplace at the end of each working day and stored outside.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**  
*Keep receptacle tightly sealed and in a well-ventilated place.  
Keep away from heat.*

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

Trade name: **QAD Enamel Colours**

(Contd. of page 3)

· 7.3 **Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.· **8.1 Control parameters**· **Ingredients with limit values that require monitoring at the workplace:****1330-20-7 Xylene (mix)**

WEL	Short-term value: 441 mg/m <sup>3</sup> , 100 ppm Long-term value: 220 mg/m <sup>3</sup> , 50 ppm Sk; BMGV
-----	--

**108-65-6 2-methoxy-1-methylethyl acetate**

WEL	Short-term value: 548 mg/m <sup>3</sup> , 100 ppm Long-term value: 274 mg/m <sup>3</sup> , 50 ppm Sk
-----	--

**100-41-4 ethylbenzene**

WEL	Short-term value: 552 mg/m <sup>3</sup> , 125 ppm Long-term value: 441 mg/m <sup>3</sup> , 100 ppm Sk
-----	---

· **DNELs****1330-20-7 Xylene (mix)**

Dermal	DNEL	108 mg/day (Con) 180 mg/day (Ind)
Inhalative	DNEL	14.8 mg/m <sup>3</sup> (Con) 77 mg/m <sup>3</sup> (Ind)

**108-65-6 2-methoxy-1-methylethyl acetate**

Oral	DNEL	36 mg/day (Con)
Dermal	DNEL	320 mg/day (Con) 796 mg/day (Ind)
Inhalative	DNEL	33 mg/m <sup>3</sup> (Con) 275 mg/m <sup>3</sup> (Ind)

**108-88-3 Toluene**

Oral	DNEL	8.13 mg/day (Con)
Dermal	DNEL	226 mg/day (Con) 384 mg/day (Ind)
Inhalative	DNEL	56.5 mg/m <sup>3</sup> (Con) 192 mg/m <sup>3</sup> (Ind)

**100-42-5 styrene monomer**

Oral	DNEL	2.1 mg/day (Con)
Dermal	DNEL	343 mg/day (Con) 406 mg/day (Wor)
Inhalative	DNEL	10.2 mg/m <sup>3</sup> (Con) 85 mg/m <sup>3</sup> (Wor)

**96-29-7 2-butanone oxime**

Dermal	DNEL	0.78 mg/day (Con) 1.3 mg/day (Ind)
Inhalative	DNEL	2.7 mg/m <sup>3</sup> (Con)

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

**Trade name: QAD Enamel Colours**

(Contd. of page 4)

		9 mg/m <sup>3</sup> (Ind)
<b>80-62-6 methyl methacrylate</b>		
Dermal	DNEL	8.2 mg/day (Con)
		13.67 mg/day (Ind)
Inhalative	DNEL	74.3 mg/m <sup>3</sup> (Con)
		210 mg/m <sup>3</sup> (Ind)

- **PNECs**

CAS No. 1330-20-7 Xylene mixed isomers

- Fresh water; 0.327 mg/l
- Marine water; 0.327 mg/l
- Intermittent release; 0.327 mg/l
- STP; 6.58 mg/l
- Sediment (Freshwater); 12.46 mg/kg
- Sediment (Marinewater); 12.46 mg/kg
- Soil; 2.31 mg/kg

- **Ingredients with biological limit values:**

**1330-20-7 Xylene (mix)**

BMGV 650 mmol/mol creatinine  
Medium: urine  
Sampling time: post shift  
Parameter: methyl hippuric acid

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

- **Respiratory protection:** When spraying the product, use a respiratory protective device.

- **Protection of hands:**

When skin exposure may occur, advice should be sought from the glove supplier on appropriate types and usage times for this product.



Protective gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

Trade name: QAD Enamel Colours

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Liquid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

· pH-value: Not determined.

##### · Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	136°C

· Flash point: 24°C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: > 432°C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

##### · Explosion limits:

Lower:	1.0 Vol %
Upper:	7.0 Vol %

· Vapour pressure at 20°C: 6.7 hPa

Density at 20°C:	0.976 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

· Solubility in / Miscibility with water: NOT MISCIBLE

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

Dynamic at 20°C:	200 mPas
Kinematic:	Not determined.

##### · Solvent content:

Organic solvents: 37.4 %

Solids content: 45.2 %

· 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

#### · 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions: No dangerous reactions known.

· 10.4 Conditions to avoid: No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

Trade name: QAD Enamel Colours

(Contd. of page 6)

- **10.6 Hazardous decomposition products:**  
No dangerous decomposition products when stored and handled correctly

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

#### 1330-20-7 Xylene (mix)

Oral	LD50	5,000 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (rbt)
Inhalative	LC50/4 h	4,300 mg/l (Rat)

#### 100-41-4 ethylbenzene

Oral	LD50	3,500 mg/kg (rat)
Dermal	LD50	17,800 mg/kg (rbt)

#### 108-65-6 2-methoxy-1-methylethyl acetate

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (Rat)
Inhalative	LC50/4 h	>10.8 mg/l (Rat)

#### 108-88-3 Toluene

Oral	LD50	5,580 mg/kg (Rat)
Dermal	LD50	5,000 mg/kg (Rab)
Inhalative	LC50/4 h	20 mg/l (Rat)

#### 100-42-5 styrene monomer

Oral	LD50	5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	11.8 mg/l (Rat)

#### 96-29-7 2-butanone oxime

Oral	LD50	2,326 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (Rab) 200-2,000 mg/kg (rat)
Inhalative	LC50/4 h	>4.8 mg/l (rat)

#### 80-62-6 methyl methacrylate

Oral	LD50	7,900 mg/kg (Rat)
Inhalative	LC50/4 h	29.8 mg/l (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure**  
May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

Trade name: **QAD Enamel Colours**

(Contd. of page 7)

· **Aspiration hazard** Based on available data, the classification criteria are not met.


### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |                             |
|---|-----------------------------|
| · <b>14.1 UN-Number</b>   |                             |
| · <b>ADR, IMDG, IATA</b>  | UN1263                      |
| · <b>14.2 UN proper shipping name</b>   |                             |
| · <b>ADR</b>  | 1263 PAINT                  |
| · <b>IMDG, IATA</b>   | PAINT                       |
| · <b>14.3 Transport hazard class(es)</b>  |                             |
| · <b>ADR, IMDG, IATA</b>  |                             |
|  |                             |
| · <b>Class</b>  | 3 Flammable liquids.        |
| · <b>Label</b>  | 3                           |
| · <b>14.4 Packing group</b>   |                             |
| · <b>ADR, IMDG, IATA</b>  | III                         |
| · <b>14.5 Environmental hazards:</b>  |                             |
| · <b>Marine pollutant:</b>  | No                          |
| · <b>14.6 Special precautions for user</b>  | Warning: Flammable liquids. |
| · <b>Danger code (Kemler):</b>  | 30                          |
| · <b>EMS Number:</b>  | F-E,S-E                     |

(Contd. on page 9)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

Trade name: QAD Enamel Colours

(Contd. of page 8)

· <b>Stowage Category</b>	A
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1263 PAINT, 3, III

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 48

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
I	0.2
NK	37.4

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.02.2018

Revision: 29.01.2018

Trade name: **QAD Enamel Colours**

(Contd. of page 9)

- H351 Suspected of causing cancer.  
 H361d Suspected of damaging the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Product safety department: LABORATORY

· **Contact:** Health & Safety Officer

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3